According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 1 of 14 Printing date: 21.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Commercial product name: Adisil pink – component A

Duplicating silicone

This substance/ mixture contains nanoforms

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Moulding diverse objects.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SILADENT Dr. Böhme & Schöps GmbH

Street / mailbox: Im Klei 26 Country code. / postal code / city: D - 38644 Goslar

Phone: Tel.: +49 (0) 53 21 / 37 79 – 0
Fax: Fax: +49 (0) 53 21 / 38 96 32
E-mail / Website: info@siladent.de - www.siladent.de
Further information obtainable from: SILADENT Dr. Böhme & Schöps GmbH

1.4 Emergency telephone number

SILADENT Dr. Böhme & Schöps GmbH: +49 (0) 53 21 / 37 79 - 0 (Mon-Fri. 8 a.m. – 4 p.m.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture: The product has been classified according to the legislation in

force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards:

Specific Target Organ Toxicity - Category 2 H373: May cause damage to organs through

Repeated Exposure prolonged or repeated exposure. (Target Organs:

Lung)

2.2 Label Elements:

Supplemental label information: EUH210: Safety data sheet available on request.

EUH066: Repeated exposure may cause skin dryness or

cracking.

2.3 Other hazards:

Physical Hazards: No specific recommendations.

Health Hazards:

Inhalation: Surface treated silica: When encapsulated in a polymer, is not

expected to pose a health hazard when processed under normal conditions of use. Although classified according to EC criteria, this product is exempt from labelling according to article 23 and Annex 1 (section 1.3.4.1) of regulation (CE)

n°1272/2008.

Eye contact: No specific symptoms noted.

Skin Contact: Repeated exposure may cause skin dryness or cracking.

Ingestion: No specific symptoms noted.

Other Health Effects: No other information noted.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 2 of 14 Printing date: 21.01.2022

Environmental Hazards: No hazard identified as the maximum bioavailable

concentration of Octamethylcyclotetrasiloxane (D4) is lower than the classification cut-off value (see Section 12 of this

SDS).

Results of PBT and vPvB assessment: This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Endocrine Disruption - Health: The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Endocrine Disruption - Environment: The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Other hazards: No other information noted.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of organosiloxanes, additives.

Hazardous Component(s):

Chemical name	Concentration *	Туре	CAS-No.	EC No.	REACH Registratio n No.	Notes
Silanamine, 1,1,1- trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	20 - <50%	Component	68909-20-6	272-697-1	Exempt	
octamethylcyclotetrasilo xane; [D4]	0,01 - <0,079%	Impurities	556-67-2	209-136-7	Not relevant.	# ## PBT, vPvB

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor

[#] This substance has workplace exposure limit(s).

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024 Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 3 of 14 Printing date: 21.01.2022

Classification:

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	STOT RE 2 H373; EUH066;		
octamethylcyclotetrasiloxane; [D4]	Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 1 H410;	Aquatic Toxicity (Chronic): 10	

The full text for all H-statements is displayed in section 16.

Particle characteristics:

Silanamina 1.1.1-trimethyl-N-(trimethylsilyl)- hydrolysis products with silica

Onanamine, 1,1,1-trimetry-14-trimetry/sity1/-, frydrofysis products with sinca				
Assessment:	This substance/ mixture contains nanoforms;			
Particle Size:	1 - 100 nm			

SECT	ION	4.	First	aid	measures

General information: Move into fresh air and keep at rest. Take off contaminated

clothing and wash it before reuse. Get medical attention if

symptoms occur.

4.1 Description of first aid measures:

> Inhalation: In case of inhalation: Move person into fresh air and keep at

> > rest. Get medical attention immediately. If breathing is difficult, trained personnel should give oxygen. If breathing

stops, provide artificial respiration.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes

while removing contaminated clothing and shoes. Wash skin with soap and water. Get medical attention immediately. Contaminated clothing to be placed in closed container until disposal or decontamination. Wash contaminated clothing

before reuse.

Eye contact: In the event of contact with the eyes, rinse thoroughly with

clean water for at least 15 minutes. Get medical attention if

symptoms occur.

Ingestion: Do not induce vomiting. Rinse mouth thoroughly with water.

Get medical attention if symptoms occur.

Personal Protection for First-aid

Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical

resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective

equipment.

4.2 Most important symptoms and effects, both

acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:

Notes to the physician: No specific recommendations.

Show this Safety Data Sheet to the attending physician.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 4 of 14 Printing date: 21.01.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread

fire.

5.2 Special hazards arising from the substance

or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides,

silicon oxides and other toxic gases or vapours.

5.3 Advice for firefighters:

Special protective equipment for fire-

fighters:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water

spray should be used to cool containers.

Collect contaminated fire extinguishing water separately. Do

not allow entering drains or surface water.

Special protective equipment for fire-

fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Personnel not required or not equipped with personal protection should be evacuated from the area. Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Avoid contact with eyes, skin, and clothing. Provide good ventilation. Avoid inhalation of vapours, mists or dusts. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Prevent further leakage or spillage if safe to do so. Alert the Health, Safety & Environmental department of spill.

6.2 Environmental Precautions:

Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is released to the environment.

6.3 Methods and material for containment and cleaning up:

Access to contaminated area only to authorized people. Absorb with sand or other inert absorbent. Shovel up and place in a container for salvage or disposal. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Never return the spilled product to its original container for reuse. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Dispose of residue in accordance with regulations in force.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 5 of 14 Printing date: 21.01.2022

6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can

be found under sections 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Precautions:

Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Provide eyewash station and safety shower and ensure that their location are labelled conspicuously. Limit the quantities of product in the work area to those which are necessary for the work in hand. Handle in accordance with good industrial hygiene and safety practices. Handle and open container with care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to

care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Provide impermeable soil. Store in a dry place. Store in a well-ventilated place. Keep container tightly closed. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction. Store away from incompatible materials. For further information, refer to section 10: "Stability and Reactivity".

Packaging frequently used at our sites: Polyethylene. Plastic lined steel drum.

Lagerklasse: Es liegen keine Daten vor.

Storage Class: No data available.

7.3 Specific end use(s): No specific recommendations. See the technical data sheet

on this product for further information.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

octamethylcyclotetrasiloxane; [D4]

Туре	Exposure Limit Values	Source	Date	Remarks
TWA	10 ppm 120 mg/m3	WEEL		

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Version: 9.1 Supersedes Date: 06.10.2023

Adisil pink - component A

Monitoring methods:



Page 6 of 14 Printing date: 21.01.2022

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular

Directives 98/24/EC and 2004/37/EC.

8.2 **Exposure controls:** Appropriate engineering controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Safety Glasses with side shields.

Skin protection: **Hand Protection:** This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm Guideline: EN374-3

Short contact:

Material: Nitrile / Neoprene Glove thickness: 0,198 mm Guideline: EN374-3

Skin and Body Protection:

Wear appropriate clothing to prevent any possibility of skin contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective

clothing.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A

Respiratory Protection:



Page 7 of 14 Printing date: 21.01.2022

If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved airpurifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation

of dust/aerosols.

Environmental Controls: See sections 7 and 13 of the Safety Data Sheet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state:LiquidForm:ViscousColour:WhiteOdour:Odourless

pH: By definition, pH measurement consists in the determination

of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to

measure the pH value.

Melting point/freezing point:No data available.Boiling Point:No data available.

Flash Point: > 200 °C (Closed cup according to method ASTM D56.)

Flammability:

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapour pressure:

Relative vapour density:

Evaporation Rate:

No data available.

No data available.

No data available.

No data available.

Density: Approximate 1,05 kg/dm3 (20 °C)

Solubility(ies):

Solubility in Water: Practically Insoluble

Solubility (other): Diethylether: Miscible (in all proportions).

Chlorinated solvents: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Aliphatic hydrocarbons: Miscible (in all proportions).

Acetone: Very slightly soluble Ethanol: Very slightly soluble

Partition coefficient (n-octanol/water): No data available.

Self Ignition Temperature: $> 400 \, ^{\circ}\text{C}$ Decomposition Temperature: $> 200 \, ^{\circ}\text{C}$

Kinematic viscosity: Approximate 4 800 mm2/s (20 °C)

Particle characteristics: Not applicable.

9.2 Other information:

Dynamic viscosity: Approximate 5 000 mPa.s

Oxidizing properties: According to the data on the components

Not considered as oxidizing.

(evaluation by structure-activity relationship)

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A

ZIMD)E

Page 8 of 14 Printing date: 21.01.2022

SECTION 10: Stability and reactivity

10.1 Reactivity: Not relevant.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous Reactions: No data available.

10.4 Conditions to Avoid: No special precautions.

10.5 Incompatible Materials: Strong oxidizing agents.

Thermal decomposition or combustion may liberate carbon 10.6 Hazardous Decomposition

oxides and other toxic gases or vapours. Amorphous silica.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute Toxicity:

Products:

Oral: Not classified for acute toxicity based on available data.

Dermal: Not classified for acute toxicity based on available data.

Inhalation: Not classified for acute toxicity based on available data.

Repeated Dose Toxicity:

Based on our knowledge of the composition information:

Based on our knowledge of the composition information: OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): NOAEL: 1,82 mg/l; LOAEL: 8,5 mg/l; (Rat; Female, Male;

Inhalation - vapour); Target Organ(s): Kidney; Method:

Similar to OECD 453; Chronic exposure.

NOAEL: 960 mg/kg; (Rabbit; Female, Male; Dermal); No treatment-related adverse effects observed; Method: Similar

to OECD 410; Subacute exposure.

Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

SILANAMINE, 1,1,1-TRIMETHYL-N-(TRIMETHYLSILYL)-, HYDROLYSIS PRODUCTS WITH SILICA (68909-20-6): Repeated exposure may cause skin dryness or cracking.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit); Method:

Similar to OECD 404

Serious Eye Damage/Eye Irritation:

Based on our knowledge of the

composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): An Expert Judgment stated that no classification is necessary

based on present knowledge. Not irritating (Rabbit); Method: **OECD 405**

Respiratory or Skin Sensitisation:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Skin sensitization: Not a skin sensitizer. (Guinea Pig);

Method: OECD 406

Germ Cell Mutagenicity:

In vitro: Based on our knowledge of the

composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Version: 9.1 Supersedes Date: 06.10.2023

Adisil pink - component A



Page 9 of 14 Printing date: 21.01.2022

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium; with and without metabolic

activation); Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells; with and without metabolic activation); Method: Similar to OECD 476 In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells; with and without metabolic activation); Method: Similar to OECD 473

In vivo: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE: [D4] (556-67-2): Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to **OECD 475**

Rodent dominant Lethal test: negative (Rat; Female, Male; Gavage (Oral)); Method: Similar to OECD 478

Carcinogenicity:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Not classified

No effects expected. NOAEC: >= 8,492 mg/l (Rat; Female, Male; Inhalation - vapour); Method: Similar to OECD 453;

Chronic exposure.

Reproductive Toxicity:

Fertility: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): 3,64 mg/l; NOAEL (F1): 3,64 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation); Method: Similar to OECD 416; Effects on

fertility

Teratogenicity: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): NOAEL (terato): > 8,492 mg/l; NOAEL (mater): 3,64 mg/l (Rat: Inhalation - vapour); Method: Similar to OECD 414; The product is not considered to be toxic for development. NOAEL (terato): > 6,066 mg/l; NOAEL (mater): 3,64 mg/l (Rabbit; Inhalation - vapour); Method: Similar to OECD 414; The product is not considered to be toxic for development.

Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information: May cause damage to organs through prolonged or repeated exposure.

SILANAMINE, 1,1,1-TRIMETHYL-N-(TRIMETHYLSILYL)-, HYDROLYSIS PRODUCTS WITH SILICA (68909-20-6): Causes damage to organs through prolonged or repeated exposure. Inhalation: Target Organ(s): Lungs

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Based on available data, the classification criteria are not met.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A

Page 10 of 14 Printing date: 21.01.2022

Aspiration Hazard:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Based on available data, the classification criteria are not

11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

SECTION 12: Ecological information

General information:

The maximum concentration of Octamethylcyclotetrasiloxane (D4) leachable from the product is below the established noeffect threshold (<0.0079 mg/l) for aquatic organisms.

12.1 Toxicity:

Acute toxicity:

Fish: Based on our knowledge of the

composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): LC 50 (Oncorhynchus mykiss; 96 h; Flow through): > 0,022 mg/l; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information: OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): EC 50 (Water flea (Daphnia magna); 48 h; Flow through): > 0,015 mg/l; Method: According to a standardised method.

Aquatic plants: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0,022 mg/l; Method: According to a standardised method. ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0,022 mg/l; Method: According to a standardised method.

Toxicity to microorganisms: Based on our knowledge of the composition information: OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): EC 50 (3 h): > 10 000 mg/l

Chronic Toxicity:

Fish: Based on our knowledge of the

composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): NOEC (Oncorhynchus mykiss; 93 d; Flow through): >= 0,0044 mg/l; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information: OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): NOEC (Water flea (Daphnia magna); 21 d; Flow through): >= 0,015 mg/l; Method: According to a standardised method.

12.2 Persistence and Degradability:

Biodegradation: Based on our knowledge

of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): 3,7 % (activated sludge and sewage, soil; 28 d); Method: OECD 310; The product is not considered to be readily

biodegradable.

BOD/COD Ratio: No data available.

12.3 Bioaccumulative Potential:

Bioconcentration Factor (BCF):Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Bioconcentration Factor (BCF): 14 900 (Fathead Minnow); Method: OECD 305; Not bioaccumulable based on the depuration rate constant

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Partition coefficient (n-octanol/water):

Adisil pink - component A

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

SIMD)E

Page 11 of 14

Printing date: 21.01.2022

Log Kow: 5,10

12.4 Mobility in Soil:No data available.

12.5 Results of PBT and vPvB assessment:

Based on our knowledge of the

composition information:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Meets PBT (persistent/bioaccumulative/toxic) criteria.

(REACH (1907/2006) Ax XIII)

Meets vPvB criteria (REACH (1907/2006) Ax XIII)

12.6 Endocrine disrupting properties:No data available.

12.7 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methodsDo not empty into drains. The user's attention is drawn to the

possible existence of local regulations regarding disposal. Please observe the important information mentioned in the other sections. In particular, information on hazards identification and product stability and reactivity under

sections 2 and 10.

Disposal methods: Dispose of waste at an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate in

suitable combustion chamber.

Contaminated Packaging: Contaminated packages should be as empty as possible.

Recycle following cleaning or dispose of at an authorised site. Packaging that cannot be cleaned should be disposed of in

the same way as the product it contained.

Waste code: The waste code of the European Waste Catalogue (EWC)

cannot be determined for this product, as its determination depends on how the material is used by the end-users. The waste code has to be determined within the EU in agreement

with the waste-disposal operator.

SECTION 14: Transport information

ADR: Not regulated.

ADN: Not regulated.

RID: Not regulated.

IMDG / IMO Not regulated.

IATA: Not regulated.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulations:

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 12 of 14 Printing date: 21.01.2022

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances:

None present or none present in regulated quantities.

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances:

None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended:

None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended:

None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended:

None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:

Chemical name	CAS-No.
octamethylcyclotetrasiloxane; [D4]	556-67-2

EU. REACH Annex XIV, Substances Subject None present or none present in regulated quantities. **to Authorization:**

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration	Additional Information
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,01 - 0,079%	very Persistent and very
			Bioaccumulative (vPvB)
			Persistent, Bioaccumulative and Toxic
			(PBT)

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Entry No:	Concentration:
octamethylcyclotetrasiloxane; [D4]	556-67-2	70	0,01 - 0,079%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,01 - 0,079%

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II

as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A

Page 13 of 14 Printing date: 21.01.2022

SIADE

None present or none present in regulated quantities.

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Not applicable

National Regulations:

Wassergefährdungs-klasse (WGK):

WGK 1: schwach wassergefährdend. Einstufung nach AwSV

Water Hazard Class (WGK): WGK 1: slightly water-endangering. Classification according

to AwSV

15.2 Chemical safety assessment: Surface treated silica: When encapsulated in a polymer, is not

expected to pose a health hazard when processed under normal conditions of use. For safe use information, please

refer to section 8 of this SDS.

Q (quantity restricted)

Inventory Status:

Australia Industrial Chem. Act (AIIC): On or in compliance with the inventory. Canada DSL Inventory List: On or in compliance with the inventory. China Inv. Existing Chemical Substances: On or in compliance with the inventory.

Japan (ENCS) List:

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory. New Zealand Inventory of Chemicals: On or in compliance with the inventory. Philippines PICCS: Taiwan Chemical Substance Inventory:

US TSCA Inventory: Thailand DIW Existing Chemical Inv. List:

Vietnam National Chemical Inventory:

EINECS, ELINCS or NLP:

On or in compliance with the inventory. On or in compliance with the inventory.

SECTION 16: Other information

Revision Information:

SECTION 15: Modification: Regulatory information

Abbreviations and acronyms:

Regulation No. 1272/2008. CLP:

PBT: persistent, bioaccumulative and toxic substance. very persistent and very bioaccumulative substance. vPvB:

No Observable Adverse Effect Level NOAEL: Lowest Observable Adverse Effect Level LOAEL:

ED: **Endocrine Disruptor**

SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

Wording of the H-statements in section 2 and 3:

Repeated exposure may cause skin dryness or cracking. EUH066

Safety data sheet available on request. EUH210

H226 Flammable liquid and vapour. H361f Suspected of damaging fertility.

May cause damage to organs through prolonged or repeated exposure. H373

H410 Very toxic to aquatic life with long lasting effects.

Issue Date: 01.03.2024

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

Revision Date: 01.03.2024

Supersedes Date: 06.10.2023 Version: 9.1

Adisil pink - component A



Page 14 of 14 Printing date: 21.01.2022

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment