

according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU) **Neutrasil**

Page 1 of 15 Printing date: 08.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Tradename:

Neutrasil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial. Commercial. elastomer products

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SILADENT Dr. Böhme & Schöps GmbH

Street / mailbox: Im Klei 26

Country code. / postal code / city: DE - 38644 Goslar Phone: +49 (0) 53 21 / 37 79 - 0 Fax: +49 (0) 53 21 / 38 96 32

E-mail / Website: info@siladent.de / www.siladent.de / www.siladent.de / SILADENT Dr. Böhme & Schöps GmbH

1.4 Emergency telephone number

SILADENT Dr. Böhme & Schöps GmbH:

+49 (0) 53 21 / 37 79 - 0 (Mon-Fri. 8 a.m. – 4 p.m.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification	H-Code
Long-term (chronic) aquatic hazard, Category 2	H411
Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 2A	H319
Aspiration hazard, Category 2	H305
Short-term (acute) aquatic hazard, Category 1	

2.2 Label elements Pictogram(s):



Signal word:

Danger

H-Code	Hazard Statements
H225	Highly flammable liquid and vapour.
H305	May be harmful if swallowed and enters airways.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

P-Code	Precautionary Statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	
	smoking.	
P280	Wear protective gloves/protective clothing/eye protection.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
P338	present and easy to do. Continue rinsing.	
P337 + P313	If eye irritation persists: Get medical advice/ attention.	



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 2 of 15 Printing date: 08.12.2022

Hazard ingredients (labelling):
Hexamethyldisiloxane
Isopropanol

2.3 Other hazards:

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

3.2.1 Chemical characteristics:

Polydimethylsiloxane with functional groups + solvent

3.2.2 Hazardous ingredients

Туре	CAS No.	Substance	Content %	Classification*	Comment
INHA	107-46-0	Hexamethyldisiloxane	>75	Flam. Liq. 2; H225 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	Ma = 1
INHA	67-63-0	Isopropanol	>10 - <20	Asp. Tox. 2; H305 Flam. Liq. 2; H225 STOT SE 3; H336 Eye Irrit. 2A; H319	
INHA	27306-78- 1	Poly(oxy-1,2-ethanediyl), .alpha methylomega[3- [1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]disiloxanyl]propoxy]-	<3	Aquatic Acute 2; H401 Aquatic Chronic 2; H411 Acute Tox. 4 by inhalation / dust/mist; H332 Eye Irrit. 2A; H319	

Type: INHA: ingredient, VERU: impurity

Ma = M-factor for acute aquatic toxicity
Mc = M-factor for chronic aquatic toxicity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

SECTION 4: First aid measures

^{*}Classification codes are explained in section 16.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU) Neutrasil

Page 3 of 15 Printing date: 08.12.2022

General information:

Remove contaminated clothes at once. Where there is a risk of unconsciousness place and transport on one side

in a stable position.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes

and seek medical advice.

After contact with the skin:

Wash with plenty of water or soap and water; immediately remove all contaminated clothing. In cases of sickness

seek medical advice (show label if possible).

After inhalation:

Move to fresh air, keep the victim laying down and restful. If breathing has stopped, give artificial respiration. If unconscious place in stable sideways position. Seek medical advice and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice immediately

and produce the label or packaging.

4.2 Most important symptoms and effects,

both acute and delayed:

Any relevant information can be found in other parts of

this section.

4.3 Indication of any immediate medical

attention and special treatment needed:

Further toxicology information in section 11 must be

observed.

SECTION 5: Firefighting measures

Extinguishing media 5.1

Suitable extinguishing agents:

Alcohol-resistant foam, carbon dioxide, water mist, sprinkler system, sand, extinguishing powder.

Extinguishing media which must not be used for safety reasons:

Water jet.

5.2 Special hazards arising from the

substance or mixture:

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very

toxic fumes.

5.3 Advice for firefighters

Special protective equipment for

firefighting:

Use respiratory protection independent of recirculated air.

Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid

contact with eyes and skin. Do not inhale

gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 **Environmental precautions:**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 4 of 15 Printing date: 08.12.2022

authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up:

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Further information: Exhaust vapours

Exhaust vapours. Consider explosion protection. Eliminate all sources of ignition. Observe notes under

section 7.

6.4 Reference to other sections:

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8. Ensure adequate ventilation. Must be syphoned off in situ.

Precautions against fire and explosion:

Flammable vapours may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered

containers with water.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and

vessels:

Observe local/state/federal regulations.

Advice for storage of incompatible

materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Store container in a well

ventilated place.

7.3 Specific end use(s): No data available.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 5 of 15 Printing date: 08.12.2022

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- 8.2 Exposure controls:
- 8.2.1 Exposure in the work place limited and controlled

General protection and hygiene

measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling.

Personal protection equipment: Respiratory protection:

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment:

Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Gas filter type ABEK (certain

inorganic, organic and acidic gases and vapors;

ammonia/amines), according to acknowledged standards

such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN

136.

Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged

standards such as EN 14387

Observe the equipment manufacturer's information and

wear time limits for respirators.

Eye protection: Tight fitting protective goggles.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 6 of 15 Printing date: 08.12.2022

Hand protection:

Protective gloves are required at all times when handling the material, according to recognized standards such as

EN374.

Recommended glove types: Protective gloves made of

nitrile rubber

thickness of the material: > 0,4 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of

butyl rubber

thickness of the material: > 0,3 mm Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection:

If handled uncovered: Chemical protective clothing, full-body liquid-tight protection if necessary. Please observe the instructions regarding permeability time which are provided by the supplier. Antistatic protective clothing and shoes.

8.2.2 Exposure to the environment limited and controlled:

Prevent material from entering surface waters and soil. Do not introduce large amounts into purification plants.

Method

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Property: Value:

Appearance:

Physical state: liquid
Colour: colourless
Odour: faint

Odour limit: no data available

pH: Not applicable. Product displays neutral reaction with

water.

Melting point/freezing pointnot determinedBoiling point/boiling range:100 °C at 1013 hPa

Flash point: 3 °C (not specified)

Evaporation rate: no data available

Upper/lower flammability or explosive limits

Lower explosion limit (LEL):2,0 Vol-%Upper explosion limit (UEL):12 Vol-%Vapour pressure:175 hPa / 50 °CVapour pressure:44 hPa / 20 °C

Solubility(ies)

Water solubility / miscibility: practically insoluble

Vapour density

Relative gas/vapour density: No data known.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU) **Neutrasil**

Page 7 of 15 Printing date: 08.12.2022

Relative Density:

0,77 (23 °C)

(Water / $4 \, ^{\circ}\text{C} = 1,00$)

Density:

0,77 g/cm3 (23 °C)

Partition coefficient: n-octanol/water:

not applicable

Auto-ignition temperature

Ignition temperature:

325 °C

exempt

(not specified)

Decomposition temperature

Thermal decomposition:

Viscosity (kinematic): Molecular mass:

0,7 mm²/s at 25 °C not applicable

9.2 Other information: No data available.

SECTION 10: Stability and reactivity

Reactivity; Chemical stability; Possibility 10.1-10.3

of hazardous reactions:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts

of this section.

10.4 Conditions to avoid: Heat, open flames, and other sources of ignition.

10.5 Incompatible materials: None known.

10.6 **Hazardous decomposition products:** If stored and handled properly: none known. The following

applies for the silicone content of the substance: Measurements have shown the formation of small amounts of formaldehyde at temperatures above about

150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information

Information on toxicological effects

General information: 11.1.1

Data derived for the product as a whole are of higher

priority than data for single ingredients.

11.1.2 Acute toxicity

Assessment:

For this endpoint no toxicological test data is available for

the whole product.

Acute toxicity estimate (ATE):

Data on substances:

ATE_{mix} (Oral): > 2000 mg/kg

Hexamethyldisiloxane:

Tioxamotry falorioxario:		
Exposure routes	Result/Effect	
Oral	LD50 12160 mg/kg	
	Species: Rat, Source: test report	
dermal	LD50 > 2000 mg/kg	
	Neither mortality nor clinical signs of toxicity were observed with the given	
	dose.	
	Species: Rabbit, Method: OECD 402, Source: test report	
by inhalation LC50 106 mg/l / 15956 ppm; 4 h		
((vapour))	Species: Rat, Method: OECD 403, Source: test report	

leonronanol:

isoproparior.		
Exposure routes	Result/Effect	



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 8 of 15 Printing date: 08.12.2022

Oral	LD50 > 5000 mg/kg
	Species: Rat, Source: ECHA
dermal	LD50 > 5000 mg/kg
	Species: Rabbit, Source: ECHA
by inhalation	LC50 > 10000 ppm; 6 h
((vapour))	Species: Rat, Method: OECD 403, Source: ECHA

11.1.3 Skin corrosion/irritation

Assessment:

For this endpoint no toxicological test data is available for

the whole product.

Data on substances: Hexamethyldisiloxane:

No skin irritation

(Species: Rabbit, Method: OECD 404, Source: test report)

Isopropanol:

No skin irritation

(Species: not specified, Source: literature)

11.1.4 Serious eye damage / eye irritation

Assessment:

For this endpoint no toxicological test data is available for

the whole product.

Data on substances:

Hexamethyldisiloxane:

No eye irritation

(Species: Rabbit, Method: OECD 405, Source: test report)

Isopropanol:

irritating

(Species: Rabbit, Source: ECHA)

11.1.5 Respiratory or skin sensitization

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances: Hexamethyldisiloxane:

Exposure routes	Result
Skin contact	Does not cause skin sensitisation. (Species: Voluntary persons, Test system: Human skin patch test, Source: test report)

Isopropanol:

Exposure routes	Result
Skin contact	Does not cause skin sensitisation.
	(Species: Guinea pig, Test system: Buehler Test, Method: OECD 406, Source:
	ECHA)

11.1.6 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

Hexamethyldisiloxane:



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 9 of 15 Printing date: 08.12.2022

negative (with and without metabolic activation)

(Test system: mutation assay (in vitro) / bacterial cells, Method: OECD 471, Source: test report)

negative (with and without metabolic activation)

(Test system: mutation assay (in vitro) / mammalian cells, Method: OECD 476, Source: test report)

negative (with and without metabolic activation)

(Test system: chromosome aberration assay (in vitro) / mammalian cells, Method: OECD 473, Source:

test report)

negative

(Test system: chromosome aberration assay (in vivo), Species: Rat, Strain: Sprague-Dawley, Application

Route: Intraperitoneal, Cell type: bone marrow cells, Method: OECD 475, Source: test report)

11.1.7 Carcinogenicity

Assessment: For this endpoint no toxicological test data is available for

the whole product.

Data on substances:

Hexamethyldisiloxane: Animal tests have not revealed any carcinogenic effects.

NOAEC: >= 33,2 mg/l

NOAEC = NOAEC (carcinogenic effects relevant for humans)

(Test system: carcinogenicity study, Species: Rat, Strain: Fischer F344, Application Route: by inhalation,

Route of administration:

(vapour), Test period: 2 a, Frequency of Treatment: 5 d/w, hours/day: 6, Method: OECD 453, Source: test

report)

11.1.8 Reproductive toxicity

Assessment: For this endpoint no toxicological test data is available for

the whole product.

Data on substances:

Hexamethyldisiloxane: Animal tests have shown no indications of possibility of

damage to embryo and impairment of fertility.

Reproductive Toxicity/Fertility

NOAEC: >= 33,2 mg/l

NOAEC = NOAEC (fertility)

(Test system: Two-generation study, Species: Rat, Strain: Sprague-Dawley, Application Route: by inhalation, Route of administration: (vapour), Frequency of Treatment: 7 d/w, hours/day: 6, Method: EPA

OPPTS 870.3800+870.6300, Source: test report)

Reproductive Toxicity/Development/Teratogenicity

NOAEC (developmental): 10,6 mg/l NOAEC (maternal): >= 33,2 mg/l

(Symptoms/Effect: Pups: lack of habituation, Test system: Reproduction and Fertility Effects +

Developmental Neurotoxicity Study, Species: Rat, Strain: Sprague-Dawley, Application Route: by inhalation, Route of administration: (vapour), Frequency of Treatment: 7 d/w, hours/day: 6, Method: EPA

OPPTS 870.3800+870.6300, Source: test report)

11.1.9 Specific target organ toxicity (single exposure)

Assessment: For this endpoint no toxicological test data is available for

the whole product.

Data on substances:

Isopropanol:

Result/Effect



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 10 of 15 Printing date: 08.12.2022

Exposure routes: by inhalation

target organs: Central nervous system

Vapours may be narcotising.

Source: ECHA

11.1.10 Specific target organ toxicity (repeated exposure)

Assessment: For this endpoint no toxicological test data is available for

the whole product.

Data on substances:

Hexamethyldisiloxane: In animal experiments with repeated exposure no effects

with relevance for humans were observed.

Result/Effect

NOAEL: >= 1000 mg/kg

NOAEL = NOAEL (relevant to humans)

(Test system: Subacute study, Species: RatApplication Route: Oral, Route of administration: gavage,

Test period: 28 d, Method: OECD 407, Source: test report)

NOAEL: >= 1000 mg/kg

NOAEL = NOAEL (relevant to humans)

(Test system: Subacute study, Species: RatApplication Route: dermal, Test period: 28 d, Frequency of

Treatment: 5 d/w, hours/day: 6, Method: OECD 410, Source: test report)

NOAEC: > 33,2 mg/l

NOAEC = NOAEC (relevant to humans)

(Test system: chronic study, Species: RatRoute of administration: (vapour), Test period: 2 a, Frequency

of Treatment: 5 d/w, hours/day: 6, Method: OECD 453, Source: test report)

11.1.11 Aspiration hazard

Assessment: For this endpoint no toxicological test data is available for

the whole product.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Data on substances:

Hexamethyldisiloxane: No data available.

Isopropanol: No data available.

11.2.2 Further toxicological information: None known.

Data on substances:

Hexamethyldisiloxane: May cause skin irritation at prolonged/repeated contact

with the product.

SECTION 12: Ecological information

12.1 Toxicity

Assessment: For the product as a whole, no test data is available.

Data on substances: Data derived for the product as a whole are of higher

priority than data for single ingredients.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU) **Neutrasil**

Page 11 of 15 Printing date: 08.12.2022

Hexamethyldisiloxane:

Very toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Result/Effect	Species/Test system	Source
LC50: 0,46 mg/l (measured)	flow-through test	test report
	Oncorhynchus mykiss (rainbow trout) (96 h)	OECD 203
EC50: > 0,37 mg/l (measured)	static test	test report
	Daphnia magna (Water flea) (48 h)	OECD 202
ErC50: > 0,55 mg/l	static test	test report
(measured)	Pseudokirchneriella subcapitata (green algae)	OECD 201
	(95 h)	
EC10 (Growth rate): 0,14 mg/l	static test	test report
(measured)	Pseudokirchneriella subcapitata (green algae)	OECD 201
	(95 h)	
EC50 (Respiration inhibition):	static test	test report
>= 100 mg/l (nominal)	activated sludge (3 h)	OECD 209
NOEC: >= 0,04 mg/l	flow-through test	test report
(measured)	Cyprinus carpio (Carp) (56 d)	OECD 305
NOEC (reproduction rate):	semi-static test	test report
0,08 mg/l (measured)	Daphnia magna (Water flea) (21 d)	OECD 211

Isopropanol:

Result/Effect	Species/Test system	Source
LC50: > 9640 mg/l	flow-through test	ECHA
	Pimephales promelas (fathead minnow) (96 h)	
EC50: > 10000 mg/l	static test	ECHA
	Daphnia magna (Water flea) (48 h)	
IC0: 1800 mg/l	static test	ECHA
	Scenedesmus quadricauda (Green algae) (7 d)	

12.2 Persistence and degradability

Assessment:

For the product as a whole, no test data is available. Organic solvent: readily biologically degradable.

Data on substances: Hexamethyldisiloxane:

The substance is degradable in abiotic processes.

Biodegradation:

Result	Test system/Method	Source
2 % / 28 d	biological oxygen demand (BOD)	test report
Not readily biodegradable.		OECD 301C

Hydrolysis:

Result	Test system	Source
Half-life: 1,47 h	pH 5; 24,8 °C	test report
		OECD 111
Half-life: 116 h	pH 7; 24,7 °C	test report
		OECD 111
Half-life: 12,4 h	pH 9; 24,8 °C	test report
		OECD 111

Isopropanol:

Biodegradation:

Result	Test system/Method	Source
readily biodegradable	biological oxygen demand (BOD)	ECHA



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 12 of 15 Printing date: 08.12.2022

12.3 Bioaccumulative potential

Assessment:

For the product as a whole, no test data is available.

Data on substances: Hexamethyldisiloxane:

Under experimental conditions the substance showed an increased potential for bioaccumulation.

increaced peternial for bleaceantalation.		
Result/Effect	Species/Test system	Source
Bioconcentration factor (BCF): 1290 - 2410	carp (Cyprinus carpio) (70 d; 0,04 mg/l)	no data available
Bioconcentration factor (BCF): 776 - 1660	carp (Cyprinus carpio) (70 d; 0,004 mg/l)	no data available

12.4 Mobility in soil

Assessment:

No data known.

Data on substances: Hexamethyldisiloxane: adsorption - desorption:

Result	Test system/Method	Source
log Koc: 2,53	Berechnung	no data available

12.5 Results of PBT and vPvB assessment:

Data on substances:

No data available.

Hexamethyldisiloxane:

The substance does not fullfill the PBT criteria. The

substance does not fullfill the vPvB criteria.

Isopropanol:

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Data on substances:

Hexamethyldisiloxane:

No data available.

Isopropanol:

No data available.

12.7 Other adverse effects:

none known

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include,

e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

Page 13 of 15 Printing date: 08.12.2022

regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14:Transport information

14.1 - UN number; UN proper shipping name; Transport hazard class(es); Packing group

14.4

Road ADR:

Valuation: Dangerous Goods

14.1 UN no.: 1993

14.2 Proper Shipping Name: Entzündbarer flüssiger Stoff, n.a.g. (Enthält

Hexamethyldisiloxan und 2-Propanol)

14.3 Class: 3 14.4 Packaging Group: II

Railway RID:

Valuation: Dangerous Goods

14.1 UN no.: 1993

14.2 Proper Shipping Name: Flammable liquid, n.o.s. (Contains hexamethyldisiloxane

and 2-propanol)

14.3 Class: 3 14.4 Packaging Group: II

Transport by sea IMDG-Code:

Valuation: Dangerous Goods

14.1 UN no.: 1993

14.2 Proper Shipping Name: Flammable liquid, n.o.s. (Contains hexamethyldisiloxane

and 2-propanol)

14.3 Class: 3 14.4 Packaging Group: II

Air transport ICAO-TI/IATA-DGR:

Valuation: Dangerous Goods

14.1 UN no.: 199

14.2 Proper Shipping Name: Flammable liquid, n.o.s. (Contains hexamethyldisiloxane

and 2-propanol)

14.3 Class: 3 14.4 Packaging Group: II

14.5 Environmental hazards

Hazardous to the environment: yes Marine Pollutant (IMDG): yes

14.6 Special precautions for user: Relevant information in other sections has to be

considered.

14.7 Transport in bulk according to Annex II of Bulk transport in tankers is not intended.

MARPOL and the IBC Code:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.2 Details of international registration status



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU)
Neutrasil

China:

Philippines:

Taiwan:

Page 14 of 15 Printing date: 08.12.2022

Relevant information about individual substance inventories, where available, is given below.

Japan: ENCS (Handbook of Existing and New Chemical Substances):

This product is listed in, or complies with, the substance inventory.

New Zealand: NZIoC (New Zealand Inventory of Chemicals):

This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)

Australia: AIIC (Australian Inventory of Chemical Substances):

This product is listed in, or complies with, the substance inventory. **IECSC** (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Canada: DSL (Domestic Substance List):

This product is listed in, or complies with, the substance inventory. **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):

This product is listed in, or complies with, the substance inventory.

United States of America (USA): TSCA (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in

compliance with the substance inventory.

TCSI (Taiwan Chemical Substance Inventory):

This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this

of the importing/manufacturing legal entity to take care of this

obligation.

European Economic Area (EEA): **REACH** (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations

for substances imported into the EEA by customers or other

downstream users must be fulfilled by the latter.

South Korea (Republic of Korea): AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

Please approach your regular WACKER contact for more detailed

information.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.



according 1907/2006/EG, Article 31 Date of last alteration: 07.11.2022

Version: 1.3 (RU) **Neutrasil**

Page 15 of 15 Printing date: 08.12.2022

Explanation of the GHS classification code:

Flam. Liq. 2; H225: Flammable liquids Category 2; Highly flammable liquid and vapour.

Aquatic Acute 1; H400: Short-term (acute) aquatic hazard Category 1; Very toxic to aquatic life.

Aquatic Chronic 2; H411: Long-term (chronic) aquatic hazard Category 2; Toxic to aquatic life

with long lasting effects.

Asp. Tox. 2; H305: Aspiration hazard Category 2; May be harmful if swallowed and enters

airways.

Flam. Liq. 2; H225: Flammable liquids Category 2; Highly flammable liquid and vapour.

STOT SE 3; H336: Specific target organ toxicity - single exposure Category 3; May cause

drowsiness or dizziness.

Eye Irrit. 2A; H319: Serious eye damage/eye irritation Category 2A; Causes serious eye

irritation.

Aquatic Acute 2; H401: Short-term (acute) aquatic hazard Category 2; Toxic to aquatic life.

Aquatic Chronic 2; H411: Long-term (chronic) aquatic hazard Category 2; Toxic to aquatic life

with long lasting effects.

Acute Tox. 4; H332: Acute toxicity Category 4; Harmful if inhaled.

Eye Irrit. 2A; H319: Serious eye damage/eye irritation Category 2A; Causes serious eye

irritation.

Classification:	Rationale:
Long-term (chronic) aquatic hazard, Category 2	Calculation method
Flammable liquids, Category 2	On basis of test data.
Serious eye damage/eye irritation, Category 2A	Calculation method
Aspiration hazard, Category 2	Calculation method
Short-term (acute) aquatic hazard, Category 1	Calculation method