

According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 1/9

## **ADORBOND CC Powder, ADORBOND CC PLUS Powder**

#### SECTION 1: Identification of the substance / mixture and of the company

1.1 Product identifier

Tradename: ADORBOND CC Powder, ADORBOND CC PLUS Powder

1.2 Relevant identified uses of the substance or mixture and uses

advised against:

General use: Manufacturing of dental prostheses in dental

laboratories using the SLM-process

1.3 Details of the supplier of the safety data sheet

Manufacturer: Ador Edelmetalle GmbH

Street / mailbox: Klotzstr. 33
Country code. / postal code / city: DE 40721 Hilden
Phone: +49 (0)2103 9866-30

E-mail / Website: <u>kontakt@ador-edelmetalle.de</u> / <u>www.ador-edelmetalle.de</u>

Information provided by: Sales Department: +49 (0)2103 9866-30

Supplier: SILADENT Dr. Böhme & Schöps GmbH

Street / mailbox: Im Klei 26

Country code. / postal code / city: DE - 38644 Goslar Phone: +49 (0) 53 21 / 37 79 - 0 Fax: +49 (0) 53 21 / 38 96 32

E-mail / Website: <a href="mailto:info@siladent.de">info@siladent.de</a> - <a href="mailto:www.siladent.de">www.siladent.de</a>

**1.4 Emergency telephone number:** For medical advice (in German and English):

+49 (0)551 192 40 (Information Center Germany North for

poisonous substances)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to EC regulation 1272/2008 (CLP)

Resp. Sens. 1; H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Skin Sens. 1; H317: May cause an allergic skin reaction.

Muta. 2; H341: Suspected of causing genetic defects.

Carc. 1B; H350: May cause cancer. Repr. 1A; H360F: May damage fertility.

Aquatic Chronic 4; H413: May cause long lasting harmful effects to aquatic life.

#### 2.2 Label elements

Labelling according to EC-Regulation 1272/2008 (CLP)

Hazard pictograms



GHS08

Signal word: Danger

#### **Hazard statements**

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer. H360F May damage fertility.

H413 May cause long lasting harmful effects to aquatic life.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

**NPM Dental Alloys** Rev: 00/25.08.2020

Date of printing: 05.12.2022 Replaces: --

Page: 2 / 9

## ADORBOND CC Powder, ADORBOND CC PLUS Powder

**Precautionary statements** 

P201 Obtain special instructions before use.

P261 Avoid breathing dust.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P362+P364 Take off immediately all contaminated clothing and wash it before reuse.

Special labelling. Text for labelling: Contains: Cobalt.

As alloy this product does not require labelling if it fulfils the criteria

of Annex I section 1.3.4 of the CLP Regulation.

2.3 Other hazards: During processing, dust may form explosive mixture in air.

Mechanical processing can produce particles and dust. Dust contact with the eyes can lead to mechanical irritation. Inhalation of

dust may cause irritation of the respiratory system.

Results of PBT and vPvB The alloys under concern are not known to be persistant,

assessment: bioaccummulating nor toxic.

**SECTION 3: Composition / information on ingredients** 

Substances: Not applicable.

3.2 Mixtures:

> Chemical characterisation: Mixture of the substances listed below with non-hazardous additions: Hazardous ingredients:

**Substance Name** No.

Additional information CAS / EG / Index Classification (EG) 1272/2008 Content

(CLP)

1 Cobalt

> EC-Nr. 231-158-0 Resp. Sens. 1; H334. 60 - 65 %-b.w.

CAS 7440-48-4 Skin Sens. 1; H317. Muta. 2; H341. Carc. 1B;

H350.

Repr. 1B; H360F.

Aquatic Chronic 4; H413.

2 **Chromium Lumps or Powder** 

EC-Nr. 231-157-5 not classified 20 - 25 %-b.w.

CAS 7440-47-3

3 Tungsten powder

EC-Nr. 231-143-9 Flam. Sol. 2; H228. 5 – 10 %-b.w.

CAS 7440-33-7

4 Manganese Powder < 45 µm, > 25 %

> EC-Nr. 231-105-1 Aquatic Chronic 2; H411. | < 0,99 %-b.w.

CAS 7439-96-5

Full text of H- and EUH-statements: see section 16.

Additional information: The maximum workplace exposure limits are, where necessary, listed in section 8.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 3 / 9

# **ADORBOND CC Powder, ADORBOND CC PLUS Powder**

occion 4. i noi ala measures	Section	4: First	t aid r	measures
------------------------------	---------	----------	---------	----------

4.1 First aid measures

General information: If medical advice is needed, have product container or label at

hand. Take off immediately all contaminated clothing and wash it

before reuse. First aider: Pay attention to self-protection!

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in

a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If victim is at risk of losing consciousness, position and transport on their side. Immediately

get medical attention.

Following skin contact: Immediately clean with water and soap followed by thorough

rinsing. In case of skin reactions consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15

minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an

ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give

anything by mouth to an unconscious person. Do not induce

vomiting. Caution if victim vomits: Risk of aspiration!

When swallowed and vomited immediately, aspiration into the lungs may occur resulting in chemical pneumonia or suffocation.

Immediately get medical attention.

4.2 Most important symptoms and

effects, both acute and delayed:

May cause allergy or asthma symptoms or breathing difficulties if

inhaled. May cause an allergic skin reaction.

4.3 Indication of any immediate medical

attention and special treatment

needed:

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media:

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should

therefore be selected according to surroundings. Foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be

used for safety reasons:

Water

5.2 Special hazards arising from the substances or mixtures:

May form dangerous gases and vapours in case of fire. Furthermore, there may develop: Metal oxide smoke, toxic

**5.3** Advice for firefighters: Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective

clothing.

Additional information: Hazchem-Code: -

Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local

authorities.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

**NPM Dental Alloys** Rev: 00/25.08.2020

Replaces: --Date of printing: 05.12.2022

Page: 4 / 9

## ADORBOND CC Powder, ADORBOND CC PLUS Powder

Person-related safety precautions: Avoid exposure. Avoid breathing dust Provide adequate

ventilation. Wear appropriate protective equipment. Keep

unprotected people away. Evacuate area.

If possible, eliminate leakage. Take off immediately all contaminated clothing and wash it before reuse.

6.2 Measures for environmental

protection:

Do not allow to enter into ground-water, surface water or drains.

If necessary, notify appropriate authorities.

6.3 Measures for cleaning/collecting: Take up mechanically, placing in appropriate containers for

disposal. Avoid dust formation.

Additional information: During processing, dust may form explosive

mixture in air.

6.4 Reference to other sections: Refer additionally to section 8 and 13.

#### **SECTION 7: Handling and storage**

Precautions for safe handling Advice on safe handling:

Obtain special instructions before use.

Do not get in eyes, on skin, or on clothing. Provide adequate ventilation, and local exhaust as needed. Avoid breathing dust Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Work place should be equipped with a shower and an eye

rinsing apparatus.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and

containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Keep away from food, drink and animal feedingstuffs. Hints on joint storage:

Do not store together with combustible or self-igniting materials or

any highly flammable solids.

Do not store together with acids/alkalies and oxidation agents.

7.3 Special end use(s): General use: Manufacturing of dental prostheses in dental

laboratories using the SLM-process.

#### **SECTION 8: Exposure controls / personal protection**

## **Control parameters**

Occupational exposure limit values:

CAS No. Designation Limit value 7440-48-4 Cobalt Great Britain: WEL-TWA 0.1 mg/m<sup>3</sup> Ireland: 8 hours 0.02 mg/m<sup>3</sup> Europe: IOELV: TWA 7440-47-3 Chromium 2 mg/m<sup>3</sup>

Lumps oder Pulver (metal and compounds, inorganic,

insoluble)

Great Britain: WEL-TWA 0.5 mg/m<sup>3</sup> Ireland: 8 hours 2 mg/m<sup>3</sup>

Hand protection:



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 5 / 9

# **ADORBOND CC Powder, ADORBOND CC PLUS Powder**

	7440-33-7	Tungsten	Great Britain: WEL-STEL	10 mg/m³ compounds, insoluble	
		powder	Great Britain: WEL-STEL	3 mg/m³ compounds, soluble	
			Great Britain: WEL-TWA	1 mg/m³ compounds, soluble	
			Great Britain: WEL-TWA	5 mg/m³ compounds, insoluble	
			Ireland: 15 minutes	10 mg/m³ insoluble	
			Ireland: 15 minutes		
			Ireland: 8 hours	3 mg/m³ (soluble)	
			Ireland: 8 hours	1 mg/m³ (soluble) 5 mg/m³ insoluble	
	7439-98-7	Molybdenum	Great Britain: WEL-STEL		
	1439-90-1	Molybaenum	Great Britain. WEL-STEL	10 mg/m³	
			Croot Pritoin: WEL STEL	(compounds soluble, Molybdenum) 20 mg/m <sup>3</sup>	
			Great Britain: WEL-STEL		
			Croot Britain, WEL TWA	(compounds insoluble, Molybdenum)	
			Great Britain: WEL-TWA	10 mg/m³	
			Creat Dritain: WEL TWA	(compounds insoluble, Molybdenum)	
			Great Britain: WEL-TWA	5 mg/m <sup>3</sup>	
			Inclair de O. b. coma	(compounds soluble, Molybdenum)	
			Ireland: 8 hours	0.5 mg/m <sup>3</sup>	
			Inclored: O borre	(compounds, soluble, respirable fraction)	
			Ireland: 8 hours	10 mg/m³	
			Inclored: O borre	compounds, insoluble; inhalable fraction	
			Ireland: 8 hours	3 mg/m <sup>3</sup>	
	7440 04 0	0:::	Onest Dritains M/EL TM/A	compounds, insoluble; respirable fraction	
	7440-21-3	Silicon	Great Britain: WEL-TWA	10 mg/m³ (inhalable fraction)	
			Great Britain: WEL-TWA	4 mg/m³ (respirable fraction)	
			Ireland: 8 hours	10 mg/m³ (inhalable fraction)	
	7400 00 5	Managara	Ireland: 8 hours	4 mg/m³ (respirable fraction)	
	7439-96-5	Manganese	Europe: IOELV: TWA	0.05 mg/m³ (respirable fraction)	
		Powder <	Europe: IOELV: TWA	0.2 mg/m³ (inhalable fraction)	
		45 μm, >	Great Britain: WEL-TWA	0.05 mg/m³	
	25 %			(Manganese and compounds, inorganic,	
			Creat Britain, MEL TMA	respirable fraction)	
			Great Britain: WEL-TWA	0.2 mg/m³	
				(Manganese and compounds, inorganic,	
			Inclored: 45 minutes	inhalable fraction)	
			Ireland: 15 minutes	3 mg/m <sup>3</sup> (Manganaga Smaka inhalahla fraction)	
			Irolandi O haura	(Manganese, Smoke, inhalable fraction)	
			Ireland: 8 hours	0.05 mg/m³ (respirable fraction)	
			Ireland: 8 hours	0.2 mg/m³ (Manganese and compounds)	
			Ireland: 8 hours	0.2 mg/m³ (Managanasa Smaka inhalahla fraction)	
				(Manganese, Smoke, inhalable fraction)	
8 2	8.2 Personal protection equipment Respiratory protection:  Eye protection:		In case of inadequate ventilation, wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of dust formation: Particulates filter P3 according to EN 143.		
0.2					
			1 3 according to EN 14	<b>o</b> .	
			Tightly sealed goggles according to EN 166.		
			riginity socied goggios according to LIV 100.		
			B		

and breakthrough time.

Protective gloves according to EN 374.

Observe glove manufacturer's instructions concerning penetrability



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 6 / 9

# **ADORBOND CC Powder, ADORBOND CC PLUS Powder**

**Body protection:** Wear dust-resistant protective clothing.

General protection and hygiene

measures:

Obtain special instructions before use. Avoid breathing dust. Do

not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of

the workplace.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Work place should be equipped with a

shower and an eye rinsing apparatus

**Environmental exposure controls:** See section 6.2 Environmental precautions.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties:

Form / Colour/ Odour: Physical state at 20 °C and 101.3 kPa: solid, powder/

grey/ odourless

pH: Not applicable Melting point / freezing point: 1200 - 1400 °C

The various products have different melting intervals within the

indicated melting range

Initial boiling point / boiling range:

Flash point/flash point range:

Evaporation rate:

No data available

No data available

Flammability: This product is non-flammable.

Explosion limits:

Vapour pressure:

Vapour density:

No data available

No data available
at 20 °C: 8 - 9 g/cm³

Solubility in water: insoluble

Partition coefficient: n-octanol/water:
Auto-ignition temperature:
Decomposition temperature:
Viscosity, kinematic:

No data available
No data available
No data available

Explosive properties During processing, dust may form explosive mixture in air.

Oxidizing characteristics: No data available

**9.2 Other Information:** No data available.

**SECTION 10: Stability and reactivity** 

**10.1 Reactivity:** Refer to 10.3

**10.2 Chemical stability:** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions:** Avoid contact with acids. May result in the release of: Hydrogen.

**10.4 Conditions to avoid:** Avoid dust formation.

**10.5** Incompatible materials: Acids, alkalis, strong oxidizing agents.

10.6 Hazardous decomposition products: No hazardous decomposition products when regulations for

storage and handling are observed.

Thermal decomposition: No data available.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 7 / 9

#### ADORBOND CC Powder, ADORBOND CC PLUS Powder

**SECTION 11: Toxicological information** 

11.1 Information on toxicological effects

**Toxicological effects:** The statements are derived from the properties of the single

components. No toxicological data is available for the product as

such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 5000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met. Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (calculated): > 5 mg/kg
Skin corrosion/irritation: Lack of data.
Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Resp. Sens. 1; H334 = May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation: Skin Sens. 1; H317 = May cause an allergic skin reaction. Germ cell mutagenicity/Genotoxicity: Muta. 2; H341 = Suspected of causing genetic defects.

Lack of data.

Lack of data.

Carcinogenicity: Carc. 1B; H350 = May cause cancer.

Reproductive toxicity: Repr. 1A; H360F = May damage fertility.

Effects on or via lactation: Lack of data.

Effects on or via lactation:
Specific target organ toxicity (single

exposure):

Specific target organ toxicity (repeated

exposure):

Aspiration hazard: Lack of data.

Other information:

Information about Cobalt: LD50 Rat, oral: 6.171 mg/kg

Symptoms: Mechanical processing can produce particles and dust. Dust

contact with the eyes can lead to mechanical irritation. Inhalation of

dust may cause irritation of the respiratory system.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Aquatic Toxicity:** May cause long lasting harmful effects to aquatic life.

Information about Cobalt:

Algae toxicity: EC50 Pseudokirchneriella subcapitata (green

algae): 0.27 mg/L/70h

Fish toxicity: LC50 Leuciscus idus: >10 mg/L/48h

**12.2 Persistence and degradability:** No data available.

**12.3 Bioaccumulative potential:** No data available.

**12.4 Mobility in soil:**No data available.

**12.5** Results of PBT and vPvB The alloys under concern are not known to be persistant,

**assessment:** bioaccummulating nor toxic.

**12.6** Other adverse effects: Do not allow to enter into ground-water, surface water or drains.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 8 / 9

## ADORBOND CC Powder, ADORBOND CC PLUS Powder

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product:

Waste key number: 06 04 05\* = wastes containing other heavy metals

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Do not dispose of with household waste.

**Packages** 

Recommendation: Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance

itself.

**SECTION 14: Transport information** 

14.1 UN number

ADR/RID, ADN, IMDG, IATA-DGR: Not applicable.

14.2 UN proper shipping Name

ADR/RID, ADN, IMDG, IATA-DGR: Not restricted.

14.3 Transport Hazard classes

ADR/RID, ADN, IMDG, IATA-DGR: Not applicable.

14.4 Packing Group

ADR/RID, ADN, IMDG, IATA-DGR: Not applicable.

14.5 Environmental hazards

Marine pollutant: No

**14.6 Special precautions:** No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and under

**IBC Code:** 

No data available.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture:

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member

states:

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 28, 29, 30 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: H1, E1.

**15.2 Chemical Safety Assessment:** For this mixture a chemical safety assessment is not required.



According to Regulation (EC) No. 1907/2006 (Reach) and Regulation (EU) No. 2015/830

NPM Dental Alloys Rev: 00/25.08.2020

Replaces: -- Date of printing: 05.12.2022

Page: 9 / 9

## **ADORBOND CC Powder, ADORBOND CC PLUS Powder**

#### **SECTION 16: Other information**

**Further information** 

Wording of the H-phrases under paragraph 2 and 3:

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer. H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

**Abbreviations and Terms:** 

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC50: Effective Concentration 50%
EC: European Community
EN: European Standard

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous

Chemicals in Bulk

**European Union** 

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

EU:

MARPOL: Maritime Pollution: The International Convention for the Prevention of

Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

Date of first version: 25.08.2020

**Department issuing data sheet:** Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations: