

according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

freeprint® temp 385

UFI:

0G2W-V0Y1-F00V-N50C; 38JX-N0UM-Q00N-73KR; QFDX-A06D-J00W-6YY4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Light-curing single-component material for the generative production of dental restorations such as temporary crowns and bridges.

1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable du	uring office hours
	(Monday - Thursday 8.00 a.m 5	5.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTREC v	vorldwide)

1.4. Emergency telepho

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1907/2006

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No. 1907/2006

Hazard components for labelling

isopropylidenediphenol peg dimethacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-hydroxyethyl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Hydroxy propyl methacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Warning

Signal word:

Pictograms:



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.



according to Regulation (EC) No. 1907/2006

freeprint® temp 385						
Revision date: 17.12.2020	Product code: 919	Page 2 of 12				
H335	May cause respiratory irritation.					
H411	Toxic to aquatic life with long lasting effects.					
Precautionary statemen	ts					
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.					
P273	Avoid release to the environment.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P302+P352	IF ON SKIN: Wash with plenty of water.					
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.					
P362+P364	Take off contaminated clothing and wash it before reuse.					
P391	Collect spillage.					
P501	Dispose of contents/ container in accordance with local and national regulations.					

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No.	1907/2006)	· · · · ·	
41637-38-1	isopropylidenediphenol peg dimeth	acrylate		40 - < 60 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413		•	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo	-3,14-dioxa-5,12-diazahe	exadecane-1,16-diyl bismethacrylate	20 - < 40 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
6606-59-3	1,6-hexanediol dimethacrylate			0.1 - < 5 %
	229-551-7			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	•		
868-77-9	2-hydroxyethyl methacrylate	0.1 - < 5 %		
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1; H315 H319 H317	*	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)ph	osphine oxide		0.1 - < 5 %
	278-355-8	015-203-00-X	01-2119972295-29	
	Repr. 2, Skin Sens. 1B, Aquatic Ch	nronic 2; H361 H317 H41	1	
27813-02-1	Hydroxy propyl methacrylate	0.1 - < 5 %		
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319 H3	17		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			0.1 - < 5 %
	423-340-5	015-189-00-5	01-2119489401-38	
	Skin Sens. 1A, Aquatic Chronic 4;			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
41637-38-1	609-946-4	isopropylidenediphenol peg dimethacrylate	40 - < 60 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	20 - < 40 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = 5564 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
27813-02-1	248-666-3	Hydroxy propyl methacrylate	0.1 - < 5 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >2000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 4 of 12

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Ligth curing material for fabrication of dental splints and guides. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 5 of 12

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
Worker DNEL	long-term	inhalation	systemic	0,822 mg/m³
Worker DNEL	long-term	dermal	systemic	0,233 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,145 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,0833 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,0833 mg/kg bw/day

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid: tooth-like	
Odour:	faintly like esters	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>100 °C	DIN 51755
Decomposition temperature:	>=190 °C	
pH-Value:	not determined	



according to Regulation (EC) No. 1907/2006

Revision date: 17.12.2020	freeprint® temp 385 Product code: 919	Page 6 of 12
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	insoluble in water.	
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	<1 hPa	
(at 20 °C)		
Density (at 20 °C):	-	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard cl	asses	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidizing.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
SECTION 10: Stability and reactivity		

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alcaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1907/2006

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 7 of 12

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
41637-38-1	isopropylidenediphenol	isopropylidenediphenol peg dimethacrylate							
	oral	LD50 mg/kg	>2000	Rat					
	dermal	LD50 mg/kg	>2000	Rat					
72869-86-4	7,7,9(or 7,9,9)-trimethy	l-4,13-dioxo-3	3,14-dioxa-5, ²	12-diazahexadecane-1,16-	diyl bismethacrylate				
	oral	LD50 mg/kg	>5000	Rat	OECD 401				
	dermal	LD50 mg/kg	>2000	Rat	OECD 402				
868-77-9	2-hydroxyethyl methac	ylate							
	oral	LD50 mg/kg	5564	Rat					
	dermal	LD50 mg/kg	>5000	Rabbit					
75980-60-8	diphenyl(2,4,6-trimethy	lbenzoyl)pho	sphine oxide						
	oral	LD50 mg/kg	>5000	Rat					
	dermal	LD50 mg/kg	>2000	Rat					
27813-02-1	Hydroxy propyl methac	rylate							
	oral	LD50 mg/kg	>2000	Rat	OECD 401				
	dermal	LD50 mg/kg	>5000	Rabbit					
162881-26-7	phenyl bis(2,4,6-trimeth	ylbenzoyl)-pl	hosphine oxic	le					
	oral	LD50 mg/kg	>2000	Rat	OECD 401				
	dermal	LD50 mg/kg	>2000	Rat	OECD 402				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9) -trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 2-hydroxyethyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Hydroxy propyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 8 of 12

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
41637-38-1	isopropylidenediphenol pe	eg dimethac	rylate				
	Acute fish toxicity	LC50 mg/l	>100	96 h			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,	14-dioxa-5,1	- 2-diazah	exadecane-1,16-diyl bisn	nethacrylate	
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202	
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	ohine oxide				
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
27813-02-1	Hydroxy propyl methacryl	ate					
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
162881-26-7	phenyl bis(2,4,6-trimethyll	penzoyl)-pho	osphine oxid	e			
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		
				-			

12.2. Persistence and degradability

The product has not been tested.

according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 9 of 12

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	•					
868-77-9	2-hydroxyethyl methacrylate						
		92-100%	14				
	Readily biodegradable (according to OECD criteria).						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
		0-10%	28				
	Not readily biodegradable (according to OECD criteria)						
27813-02-1	Hydroxy propyl methacrylate						
	OECD	94%	28				
	Readily biodegradable (according to OECD criteria).						
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide						
	CO2 formation (% of the theoretical value).	1%	29				
	Not readily biodegradable (according to OECD criteria)						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
27813-02-1	Hydroxy propyl methacrylate	0,97
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. Not identivied as PBT/ vPvB substances

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



according to Regulation (EC) No. 1907/2006

freeprint® temp 385

Revision date: 17.12.2020

Product code: 919

Page 10 of 12

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	Contains: 7,7,9(or 7,9,9)
	-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha
44.2 Transment becaud along (ap)	crylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L/ 30 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Other applicable information (land tra	
	4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate
Iarine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	Contains: 7,7,9(or 7,9,9)
	-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha
	crylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Marine pollutant:	YES
Special Provisions:	274, 335, 969
Limited quantity:	5 L/ 30 kg
Excepted quantity:	E1
EmS:	F-A, S-F
Other applicable information (marine	
· · · · ·	4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate
Flash point: > 100°C	
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	Contains: 7,7,9(or 7,9,9)
	-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha
	crylate
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1

according to Regulation (EC) No. 1907/2006

freeprint® temp 385					
Revision date: 17.12.2020	Product code: 919	Page 11 of 12			
IATA-packing instructions - Passenger	964				
IATA-max. quantity - Passenger:	450 L				
IATA-packing instructions - Cargo:	964				
IATA-max. quantity - Cargo:	450 L				
Other applicable information (air tran	isport)				
Contains: 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate					
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	Yes				
14.6. Special precautions for user					
No dangerous good in sense of this	s transport regulation.				
14.7. Maritime transport in bulk accordir	ng to IMO instruments				
No dangerous good in sense of this transport regulation.					
SECTION 15: Regulatory information					
SECTION 13. Regulatory mormation					
15.1. Safety, health and environmental re	egulations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex X)	VII):				
Entry 3, Entry 75					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according	to the 'iuvenile			
	work protection guideline' (94/33/EC).				
Water hazard class (D):	3 - highly hazardous to water				
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.				
15.2 Chomical safety assessment					

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1907/2006

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.	
------------------------------	--

H317 May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006

freeprint® temp 385					
Revision date: 17.12.2020	Product code: 919	Page 12 of 12			
H319	Causes serious eye irritation.				
H335	May cause respiratory irritation.				
H361	Suspected of damaging fertility or the unborn child.				
H411	Toxic to aquatic life with long lasting effects.				
H413	May cause long lasting harmful effects to aquatic life.				
Further Information					

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)