

According to 1907/2006/EC - REACH (GB)


Revision: 12.07.2016

Version 3.0

**Silapolish fluid****1. Identification of the Substance / Preparation and Company:**

- 1.1 Identification of the substance or preparation:  
Commercial product name: Silapolish fluid
- 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Relevant identified uses: Polishing agent
- 1.3 Details of the supplier of the safety data sheet  
Manufacturer/Supplier: SILADENT Dr. Böhme & Schöps GmbH  
Street / mailbox: Im Klei 26  
Country code. / postal code / city: D - 38644 Goslar  
Phone: 0 53 21 / 37 79 – 0  
Fax: 0 53 21 / 38 96 32  
E-mail / Website: [info@siladent.de](mailto:info@siladent.de) / [www.siladent.de](http://www.siladent.de)  
Further information obtainable from: SILADENT Dr. Böhme & Schöps GmbH
- 1.4 Emergency telephone number  
SILADENT Dr. Böhme & Schöps GmbH: +49 (0) 53 21 / 37 79 - 0 (Mon-Fri. 8 a.m. – 4 p.m.)

**2. Hazards identification:**

- 2.1 Classification of the substance or mixture STOT RE 1: H372 causes damage to organs (central nervous system) through prolonged or repeated exposure if inhaled. Aquatic chronic 3: H412 Harmful to aquatic life with long lasting effects.
- 2.2 Label elements:  
The product is required to be labelled in accordance with regulation (EG) No 1272/2008 (GLP).
- Hazard pictograms  

- Signal word: DANGER
- Contains: Hydrocarbons, G10-G13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
- Hazard statements:  
 H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
 H412 Harmful to aquatic life with long lasting effects.
- Precautionary Statements:  
 P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P314 Get medical advice / attention if you feel unwell.  
 P501 Dispose of contents / container in accordance with local/ regional/ national/ international regulation.
- Special labelling: EUH066 Repeated exposure may cause skin dryness or cracking.
- Other hazards  
 Physico-chemical hazards: Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.
- Human health dangers: If swallowed or in the event of vomiting, risk of product entering the lungs.
- Environmental hazards: Does not contain any PBT or vPvB substances.
- Other hazards: Further hazards were not determined with the current level of knowledge.

**Silapolish fluid**

**3. Composition / Information on ingredients**

Product type: The product is a mixture

Range [%]	Substance
10 - 30	Hydrocarbons, G10-G13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS: 64742-82-1, EINECS/ELINGS: 919-164-8, Reg-No.: 01-2119473977-17-XXXX GHS/GLP: Asp. Tox. 1: H304 - Aquatic Chronic 3: H412 - STOT RE 1: H372
10 - 20	Hydrocarbons, G11- G14, n-alkanes, isoalkanes, cyclics, < 2% aromatics CAS: 64742-47-8, EINECS/ELINGS: 926-141-6, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119456620-43-XXX X GHS/GLP: Asp. Tox. 1: H304
1 - 3	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS: 64742-82-1, EINECS/ELINGS: 919-446-0, Reg-No.: 01-2119458049-33-XXXX GHS/GLP: Asp. Tox. 1: H304 - Aquatic Chronic 2: H411- Flam. Liq. 3: H226- STOT RE 1: H372- STOT SE 3: H336
1 - 3	Ammonia 25% CAS: 1336-21-6, EINECS/ELINGS: 215-647-6, EU-INDEX: 007-001-01-2, Reg-No.: 01-2119488876-14-XXX X GHS/GLP: Skin Corr. 1B: H314- STOT SE 3: H335 - Aquatic Acute 1: H400

Comment on component parts:

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

**4. First aid measures:**

4.1 Description of first aid measures

General information:

Take off contaminated clothing and wash before reuse.

Inhalation:

Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

Skin contact:

When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact:

Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion:

Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2. Most important symptoms and effects, both acute and delayed:

Irritant effects

Headache

Tiredness

Shortness of breath

Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

**5. Firefighting measures:**

5.1 Extinguishing media

Suitable extinguishing media

Foam.

Dry powder.

Water spray jet.

Carbon dioxide.

Extinguishing media that must

Full water jet.

Not be used

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products

**Silapolish fluid**

5.3 Advice for firefighter Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

**6. Accidental release measures:**

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.  
Keep away from all sources of ignition.  
High risk of slipping due to leakage/spillage of product.  
Use personal protective clothing.

6.2 Environmental precautions Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up Take up mechanically.  
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections See SECTION 8+13

**7. Handling and storage:**

7.1 Precautions for safe handling Use only in well- ventilated areas.  
Provide suitable vacuuming at the processing area.  
Keep only in original container.  
Keep away from all sources of ignition.  
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.  
Use barrier skin cream.  
Do not eat, drink, smoke or take drugs at work.  
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities Provide solvent-resistant and impermeable floor.  
Prevent penetration into the ground.  
Do not storage together with oxidizing agents.  
Do not store together with food and animal food/diet.  
Protect from heat/overheating.  
Keep container in a well-ventilated place.  
Keep container tightly closed.

7.3 Specific end use(s) See product use, SECTION 1.2

**8. Exposure controls/personal protection:**

8.1 Control parameters:	<p>Ingredients with occupational Exposure limits to be monitored (GB):</p> <p>Substances Aluminiumoxide CAS: 1344-28-1. EINECS/ELINCS: 215-691-6, Reg-No.: 01-2119529248-35-XXXX long-Term exposure: 10 mg/m<sup>3</sup>, inhalable dust (respirable dust: 4mg/m<sup>3</sup>) Lang-term exposure: 10 mg/m , inhalable dust (respirable dust: 4 mg/m ) Hydrocarbons. C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS 64742-82-1, EINECS/ELINCS: 919-164-8, Reg-No.: 01-2119473977-17-XXXX Long-term exposure: 500 mg/m<sup>3</sup> Hydrocarbons. C11- C14, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics CAS: 64742-47-8, EINECS/ELINCS: 926-141-6, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119456620-43-XXXX Long-term exposure: 1200 mg/m Ammonia 25% CAS: 1336-21-6, EINECS/ELINCS: 215-647-6, EU-INDEX: 007-001-01-2, Reg-No.: 01-2119488876-14-XXXX Long-term exposure: 25 ppm, 18 mg/m<sup>3</sup> , IOELV, CD156 Hydrocarbons, C9-C12. n-alkanes. isoalkanes, cyclics. aromatics (2-25%) CAS: 64742-82-1. EINECS/ELINCS: 919-446-0. Reg-No.: 01-2119458049-33-XXXX Long-term exposure: 00 mg/m</p>
-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Silapolish fluid**

DNEL	Substance Hydrocarbons. C9-C12, n-alkane, isoalkanes, cycles, aromatics (2-25%), CAS: 64742-82-1   Industrial, dermal, Long-term - systemic effects: 44 mg/kg bw/day. Industrial. inhalative. Long-term - systemic effects: 330 mg/m <sup>3</sup> • general population, oral, Long-term - systemic effects: 26 mg/kg bw/day. general population, dermal, Long-term- systemic effects: 26 mg/kg bw/day.   general population, inhalative, Long-term - systemce effects: 71 mg/m <sup>3</sup> . Ammonia 25%, CAS: 1336-21-6 Industrial. inhalative. Long-term- systemic effects: 14 mg/m <sup>3</sup> (NH <sub>3</sub> ).   Industrial, inhalative, acute - systemic effects: 38 mg/m <sup>3</sup> (NH <sub>3</sub> ). Industrial. dermal, acute - systemic effects: 6,8 mg/kg (NH <sub>3</sub> ). Industrial, oral, Acute - systemic effects: 6,8 mg/kg bw/d (NH <sub>3</sub> ).
PNEC	Substance   Ammonia 25%, CAS: 1336-21-6   seawater. 0,011 mg/1.   freshwater, 0,0011 mg/1.

8.2 Exposure controls Additional advice on system design: Eye protection: Hand protection:  Skin protection: Other:  Respiratory protection:  Thermal hazards: Delimitation and monitoring of the environmental exposition:	Ensure adequate ventilation on workstation. Safety glasses. (EN 166:2001) 0,7mm Butyl rubber, >120 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.  Protective clothing. Do not inhale vapours. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipment's to chemicals should be ascertained with the respective supplier. Breathing apparatus in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)  none Protect the environment by applying appropriate control measures to prevent or limit emissions.
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**9. Physical and chemical properties:**

9.1 Information on basic physical and chemical properties	
Form:	pasty
Colour:	blue
Odour:	characteristic
Odour threshold:	not required
pH- value:	9-10
pH- value [1%]:	not determined
Boiling point [°C]:	not determined
Flash point [°C]:	>61
Flammability [°C]:	> 200
Lower explosion limit:	0,6 Vol. %
Upper explosion limit:	7,0 Vol. %
Oxidizing properties:	no
Vapour pressure/gas pressure [kPa]:	not determined
Density [g/ml]:	1,17 (20 °C / 68,0 °F)
Bulk density [kg/m <sup>3</sup> ]:	not applicable
Solubility in water:	partially soluble
Partition coefficient [n-octanol/water]:	not determined

**Silapolish fluid**

Viscosity:	>20,5 mm <sup>2</sup> /s (40°C)
Relative vapour density determined in air:	not determined
Evaporation speed:	not determined
Melting point [°C]:	not determined
Autoignition temperature [°C]:	not applicable
Decomposition temperature [°C]:	not determined
9.2 Other information:	none

**10. Stability and reactivity:**

10.1 Reactivity:	No dangerous reactions known if used as directed.
10.2 Chemical stability:	The product is stable under standard conditions.
10.3 Possibility of hazardous reactions:	Reactions with oxidizing agents. Evolution of flammable mixtures possible in air when heated above flash point and/ or during spraying or misting.
10.4 Conditions to avoid:	Heating
10.5 Incompatible materials:	Oxidizing agents
10.6 Hazardous decomposition products:	No hazardous decomposition products known.

**11. Toxicological information:**

11.1 Information on toxicological effects	Acute toxicity
Acute toxicity	
Product:	ATE-mix, inhalative, >20 mg/1. ATE-mix, dermal, >2000 mg/kg bw.   ATE-mix, oral, >2000 mg/kg bw.
Substance:	Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics, CAS: 64742-47-8 LD50, dermal, Rabbit: > 5000 mg/kg (Li.).   LD50, oral, Rat: > 5000 mg/kg (Li.). Hydrocarbons, G10-G13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), CAS: 64742-82-1 LD50, dermal, Rabbit: >2920 mg/kg (OECD 402).   LD50, oral, Rat: >5000 mg/kg (OEGD 401). LG50, inhalative, Rat: >13.1 mg/1 (4h) (OECD 403). Hydrocarbons, G9-G12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), CAS: 64742-82-1 LD50, dermal, Rat: >2000 mg/kg bw.   LD50, oral, Rat : >2000 mg/kg bw. Ammonia 25%, GAS: 1336-21-6 LD50, inhalative, mouse: 91 mg/kg (NH3).   LD50, oral, Rat: 350 mg/kg (NH3). LG50, inhalative, Rat: 2000 mg/1 (NH3). LDLo, oral, Human: 43 mg/kg (NH3).
Serious eye damage/irritation:	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation:	Toxicological data of complete product are not available. Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Toxicological data of complete product are not available. Does not contain a relevant substance that meets the classification criteria.
Specific target organ toxicity - Single exposure:	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity - repeated exposure:	Toxicological data of complete product are not available. May cause damage to the central nervous system through prolonged or repeated exposure through inhale.
Mutagenicity:	Toxicological data of complete product are not available. Does not contain a relevant substance that meets the classification criteria.

**Silapolish fluid**

Reproduction toxicity:	Toxicological data of complete product are not available Does not contain a relevant substance that meets the classification criteria.
Carcinogenicity:	Toxicological data of complete product are not available Does not contain a relevant substance that meets the classification criteria.
Aspiration hazard:	Toxicological data of complete product are not available. Based on the available information, the classification criteria are not fulfilled.
General remarks:	The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

**12. Ecological information:**

12.1	<p>Toxicity</p> <p>Substance</p> <p>Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics, CAS: 64742-47-8 EL50, (72h), Pseudokirchneriella subcapitata: &gt;1000 mg/1. I EL50, (24h), Daphnia magna: &gt;1000 mg/1. LL50, (96h), Oncorhynchus mykiss: &gt;1000 mg/1.</p> <p>Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), CAS: 64742-82-1 EL50, (48h), Daphnia magna: 10-22 mg/1. EL50, (72h), Pseudokirchneriella subcapitata: 10-100 mg/1. I NOEC, (21d), Daphnia magna: 0.097 mg/1. NOELR , (72h), Pseudokirchneriella subcapitata: 3 mg/1. I LL50, (96h), Oncorhynchus mykiss: 10-100 mg/1. LOEC, (21d), Daphnia magna: 0.203 mg/1.</p> <p>Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), CAS: 64742-82-1 LC50, (96h), fish: 1 - 10 mg/L. EC50, (72h), Bacteria: 1 -10 mg/L. I EC50, (72h), Algae: 1 - 10 mg/L. EC50, (48h), Crustacea: 1 - 10 mg/L. EL50, (72h), Pseudokirchneriella subcapitata: 4,1 mg/1. I LL50, (96h), Oncorhynchus mykiss: 10- 100 mg/1. Ammonia 25%, CAS: 1336-21-6 LC50, (96h), Salmo gairdneri: 0,53 mg/1. LC50, (96h), fish: 0,89 mg/1 (NH3). LC50, (96h), Pimephales promelas: &gt;0,7 mg/1. LC50, (96h) , Lepomis macrochirus: &gt;0,2 mg/1. LC50, (96h), Cyprinus carpio: 1,1 mg/1. LC50, (96h), Salmo gairdneri: &gt;0,1 mg/1. LC50, (48h), Daphnia magna: 25,4 mg/1. LC50, (96h), Daphnia magna: 0,101 mg/1 (NH3).</p>
12.2	<p>Persistence and degradability</p> <p>Behaviour in environment compartments: not determined</p> <p>Behaviour in sewage plant: not determined</p> <p>Biological degradability: not determined</p>
12.3	Bioaccumulative potential: Accumulation in organisms is not expected.
12.4	Mobility in soil: Spillages may penetrate the soil causing ground water contamination.
12.5	Results of PBT and vPvB assessment: Based on all available information not to be classified as PBT or vPvB respectively.
12.6	Other adverse effects: Ecological data of complete product are not available.

**13. Disposal considerations:**

13.1	<p>Waste treatment methods:</p> <p>Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local Regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer.</p>
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Silapolish fluid**

Product:	The waste code is to be determined within the EU in liaison with the waste-disposal operator. Dispose of as hazardous waste. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended): Contaminated packaging:	160305* Packaging that cannot be cleaned should be disposed of as for product. Uncontaminated packaging may be taken for recycling.
Waste no. (recommended):	150110* 150102

**14. Transport information:**

14.1 UN number:	
14.2 UN proper shipping name Transport by land according to ADR/RID:	not applicable
Inland navigation (ADN): Marine transport in accordance With IMDG:	not applicable not applicable
Air transport in accordance with IATA:	not applicable
14.3 Transport hazards class(es): Transport by land according to ADR/RID:	NO DANGEROUS GOODS
Inland navigation (ADN): Marine transport in accordance With IMDG:	NO DANGEROUS GOODS NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA:	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.4 Packing group: Transport by land according to ADR/RID:	not applicable
Inland navigation (ADN): Marine transport in accordance With IMDG:	not applicable not applicable
Air transport in accordance with IATA:	not applicable
14.5 Environmental hazards: Transport by land according to ADR/RID:	no
Inland navigation (ADN): Marine transport in accordance With IMDG:	no no
Air transport in accordance with IATA:	no
14.6 Special precautions for user:	Relevant information under SECTION 6 to 8.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	not applicable

**15. Regulatory information:**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EEC-Regulations	1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830
Transport-Regulations	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

**Silapolish fluid**

National Regulations (GB)	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
VOC (1999/13/CE)	37%
15.2 Chemical safety assessment	For this product a chemical safety assessment has not been carried out.

**16. Other information**

These information are based upon the knowledge that we possess at the time when this data sheet was written. The information are meant to describe the health and safety aspects of our product, and are not meant to guarantee certain product qualities.

16.1 Hazard statements (Section 03):

- H400: Very toxic to aquatic life.
- H335: May cause respiratory irritation.
- H314: Causes severe skin burns and eye damage.
- H336: May cause drowsiness or dizziness..
- H226: Flammable liquid and vapour.
- H411: Toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects.
- H372
- H304: May be fatal if swallowed and enters airways.

16.3 Abbreviations and acronyms

- ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route.
- RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses
- AND: Accord européen relative au transport international des marchandises dangereuses Par voie de navigation intérieure
- CAS: Chemicals Abstracts Service
- CLP: Classification, Labelling and Packaging
- DMEL: Derived Minimum Effect Level
- DNEL: Derived No Effect Level
- EC50: Median effective concentration
- ECB: European Chemicals Bureau
- EEC: European Economic Community
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IATA: International Air Transport Association
- IBC-Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IC50: Inhibition concentration, 50%
- IMDG: International Maritime Code for Dangerous Goods
- IUCLID: International Uniform Chemical Information Database
- LC50: Lethal concentration, 50%
- LD50: Median lethal dose
- MARPOL: International Convention for the Prevention of Marine Pollution from Ships
- PBT: Persistent, Bioaccumulative and Toxic substance
- PNEC: Predicted No-Effect Concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- TLV®/TWA: Threshold limit value – time weighted average
- TLV®STEL: Threshold limit value – short- time exposure limit
- VOC: Volatile Organic Compounds
- vPvB: very Persistent and very Bioaccumulative



**Silapolish fluid**

16.4 Other information  
Classification procedure

Modified positions:

STOT RE 1: H372 causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled. (Calculation method)  
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)  
SECTION 2 been added: P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.  
SECTION 2 been added: STOT RE 1  
SECTION 2 been added: DANGER  
SECTION 2 been added: H372 causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
SECTION 2 been added: P101 If medical advice is needed, have product container or label at hand.  
SECTION 2 been added: P102 Keep out of reach of children.  
SECTION 2 been added: P273 Avoid release to the environment.  
SECTION 2 been added: P270 Do no eat, drink or smoke when using this product.  
SECTION 2 been added: P314 Get medical advice I attention if you feel unwell. SECTION 2 been added: exclamation mark  
SECTION 4 been added: Unconsciousness SECTION 4 been added: Tiredness SECTION 4 been added: Headache  
SECTION 4 been added: Shortness of breath  
SECTION 11 been added: Does not contain a relevant substance that meets the classification criteria.  
SECTION 11 deleted: Does not contain a relevant substance that meets the classification criteria.  
SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.  
SECTION 11 been added: May cause damage to the central nervous system through prolonged or repeated exposure through inhale.  
SECTION 16 been added: Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.  
SECTION 16 deleted:  
SECTION 16 been added: